



C+P Lockers to separate work- and streetwear, Evolo PLUS, 2 compartments, 1850x600x500mm, 7035/0004

locker to separate work- and streetwear Evolo PLUS, 2 compartments for 1 person, for separate storage of private and work clothes, compartment width 300 mm, body made of sturdy steel structure with high-quality enamel coating for high UV and corrosion resistance, particularly burglar-proof construction in accordance with level C to DIN 4547, with rear ventilation openings at the top and bottom, 1 storage shelf inside each compartment, 1 sturdy changing room rail made of oval profile with 3 twist-proof double sliding hooks incl. system holder, doors closing in the middle for joint lock, With floor gliders for practical cabinet and floor protection, Door opening limiter 90 degrees, as protection against overstretching the door, Steel doors with soft stop and closed side profiles for maximum stability, with easy-to-clean ventilation hole pattern at the top and bottom, mounting in sturdy bolt hinges, 1 Ergonomic safety turning bolt for padlocks with bolt size 6 to 8 mm, incl. door protection, 2 Plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, Dimensions (H x W x D): 1850 x 600 x 500 mm, Color: RAL 7035 Light grey, Doors: 0005000 RDS Steel grey

Product advantages:

- + Safe and convenient separation of private and work clothing in accordance with ASR (workplace guidelines)
- + Body with ventilation openings at the top and bottom for optimum air circulation
- + Doors hinged together for a common lock
- + Doors extremely torsion resistant due to closed side profiles
- + Fronts additionally with easy-to-clean ventilation hole pattern for even more effective ventilation
- + Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
- + Increased corrosion protection thanks to zinc-plated locker base and aluminum floor gliders
- + Level adjustment for easy compensation of uneven floors
- + Safety turning bolt latch for padlock, ergonomically shaped, turns when closed and thus prevents breaking open by over-turning
- + Particularly burglar-resistant construction in accordance with level C of DIN 4547



Substructure: Floor glider

Depth: 500

lock: Safety turning bolt

Door opening angle: 90

Total internal height: 1787

Body color: RAL 7035 light gray

Number of compartments: 2

Front color: RAL 0005000 Steel gray

Height: 1850

Width: 300

Inner depth: 477

Opening dimensions door (height):
1749

Weight: 36.1

Inner width other: 298

Opening dimensions door (width):
240

Guarantee: 10

€418.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
GmbH & Co. KG
Boxbachstraße 1
35236 Breidenbach
USt.-ID: DE 183061659

Contact:
Telephone: +49 6465 919-0
Fax: +49 6465 919-200
Email: sales@cp.de

[Terms and Conditions](#) / [Legal Notice](#) / [Privacy Policy](#)



The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.



Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.



C + P GmbH & Co. KG
GmbH & Co. KG
Boxbachstraße 1
35236 Breidenbach
USt.-ID: DE 183061659

Contact:
Telephone: +49 6465 919-0
Fax: +49 6465 919-200
Email: sales@cp.de

[Terms and Conditions](#) / [Legal Notice](#) / [Privacy Policy](#)

