Datasheet "049002-40|S10006"

C+P Schwarz-Weiß-Spind mit Bodengleitern, Evolo PLUS

Schwarz-Weiß-Spind Evolo PLUS, 4 Abteile für 2 Personen, zur getrennten Unterbringung von Privat- und Berufskleidung, Abteilbreite 300 mm, Korpus aus stabiler Stahlkonstruktion mit hochwertiger Einbrennbeschichtung für hohe UV- und Korrosionsbeständigkeit, Spindboden verzinkt für erhöhten Korrosionsschutz, besonders aufbruchgeschützte Konstruktion gemäß Stufe C nach DIN 4547, mit hinteren Belüftungsöffnungen oben und unten, innen je Abteil 1 Ablageboden, darunter 1 stabile Garderobenstange aus Ovalprofil mit 3 verdrehsicheren Doppel-Schiebehaken inkl. Systemaufnahme, Türen paarweise zueinanderschlagend für gemeinsamen Verschluss, mit Bodengleitern als praktischer Schrank- und Fußbodenschutz, Türöffnungsbegrenzer 90 Grad, als Schutz vor Überdehnen der Tür, Stahl-Türen mit Soft-Anschlag und geschlossenen Seitenprofilen für höchste Stabilität, mit reinigungsfreundlichem Belüftungslochbild oben und unten, Aufhängung in stabilen Drehbolzen, 2 Ergonomische Sicherheits-Drehriegel für Vorhangschlösser mit Bügelstärke 6 bis 8 mm, inkl. Tür-Schutz, 4 Kunststoff-Etikettenrahmen, schwarz, selbstklebend, inkl. Klarsichtkunststoff-Abdeckung und weißem Etikett zur individuellen Beschriftung, Maße (H x B x T): 1850 x 1200 x 500 mm, Korpus: RAL 7035 Lichtgrau, Türen: RAL 5010 Enzianblau

Produktvorteile:

+ Sichere und komfortable Trennung von Privat-und Berufskleidung gemäß ASR (Arbeitsstättenrichtlinien)
+ Korpus mit Lüftungsöffnungen oben und unten für optimale Luftzirkulation
+ Türen zueinander schlagend für gemeinsamen Verschluss
+ Türen extrem verwindungssteif durch geschlossene Seitenprofile
+ Fronten zusätzlich mit reinigungsfreundlichem Belüftungslochbild für noch effektivere Belüftung
+ Türöffnungsbegrenzer zum Schutz vor Überdehnung der Tür und vor Überschneidung mit Nutzfläche des Nachbarschrankes
+ Erhöhter Korrosionsschutz durch verzinkten Spindboden und Aluminium-Bodengleiter
+ Niveauregulierung zum einfachen Ausgleich von Bodenunebenheiten
+ Sicherheits-Drehriegelverschluss für Vorhängeschloss, ergonomisch geformt, dreht in geschlossenem Zustand durch und verhindert damit das Aufbrechen durch Überdrehen
+ Besonders aufbruchgeschützte Konstruktion gemäß Stufe C nach DIN 4547



compartment width: 300
Substructure: Floor glider
Body ventilation: Perforated strip in the wardrobe base/head unit
Adjustment travel level adjustment: 25
Body surface: varnished
Depth: 500
lock: Safety turning bolt
changing room rail: fixed
for bolt size: 6-8
Door opening angle: 90
Country of origin: EN
Door material: Steel
Profile changing room rails: oval
Labeling material: Made of plastic
Total internal height: 1787
Mounting front: bolt hinge
Attachment Labeling: self-adhesive
Body color: RAL 7035 light gray
delivery condition: mounted
Number of compartments: 4
Checkroom height: 1325
GS tested safety: GS_TUV_Thueringen
Height: 1850
key number: Bolt

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy



Datasheet "049002-40|S10006"

C+P Schwarz-Weiß-Spind mit Bodengleitern, Evolo PLUS

Shipping method: by truck

Material clothes hooks: Made of plastic

Internal height of top compartment: 365

Door surface: varnished

Guarantee: 10 years

Front version: Hinged doors

Front color: RAL 5010 gentian blue

labeling: label holder

Inner depth: 477

Material changing room rails: Made of plastic

Tipping dimension: 1916

front stop 2: interlocking

door opening limiter: Yes

Internal height of lower compartments: 1420

storage shelf: fixed

Safety when setting off: Level C according to DIN 4547

Number of clothes hooks/person: 6

Brand: Evolo PLUS

Number of storage shelves: 4

Opening dimensions door (height): 1749

Width: 1200

Weight: 66.5

Suitability for wall installation: Yes

series: Evolo PLUS

Inner width other: 298

Opening dimensions door (width): 240

Customs TariffNo_DE: 94031091

€730.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.

DMSZ zertifiziert nach ISO 9001 QM 00945

DMSZ zertifiziert nach ISO 50001 EnM 00945

DMSZ zertifiziert nach ISO 14001 UM 00945

DMSZ zertifiziert nach ISO 9001 QM 00945

TÜV Thüringen GS geprüfte Sicherheit

Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

Hessisches Präqualifikationsregister Zertifikat HPQR Auftragsberatungsstelle Hessen e.V.

SILVER | Top 15% ecovadis Sustainability Rating FEB 2024

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

„German Quality" from the market leader