Datasheet "049310-10|S10006"

C+P Double-tier locker, Evolo PLUS, 2 cases, 1950x300x500mm, 7035/5010

Double-tier locker Evolo PLUS, 1 compartment with 2 cases, compartment width 300 mm, body made of sturdy steel construction with high-quality enamel coating for high UV and corrosion resistance, particularly burglar-proof construction in accordance with level C as per DIN 4547, with rear louvers at the top and bottom, inside each case 1 sturdy room rail made of oval profile with 3 anti-rotation double sliding hooks incl. system holder, Steel doors with soft stop and closed side profiles for maximum stability, with easy-to-clean ventilation hole pattern at the top and bottom, mounting in sturdy bolt hinges, Door(s) hinged on the right, Door opening limiter 90 degrees, as protection against overstretching the door, 2 Ergonomic safety turning bolt for padlocks with bolt size 6 to 8 mm, incl. door protection, 2 Plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, 100 mm high plastic feet for extended corrosion protection, with integrated level adjustment and sleeves to stylishly cover the adjustment screws, conveniently adjustable from the inside and outside, Dimensions (H x W x D): 1950 x 300 x 500 mm, Color: RAL 7035 Light grey, Doors: RAL 5010 Gentian blue, Feet: RAL 7035 Light grey

Product advantages:

+ 50% space saving due to double-tier design compared to the single-tier model
+ Body with ventilation openings at the top and bottom for optimum air circulation
+ Doors extremely torsion resistant due to closed side profiles
+ Fronts additionally with easy-to-clean ventilation hole pattern for even more effective ventilation
+ Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
+ Increased corrosion protection thanks to zinc-plated locker base and sturdy feet made of plastic
+ Level adjustment for easy compensation of uneven floors
+ Safety turning bolt latch for padlock, ergonomically shaped, turns when closed and thus prevents breaking open by over-turning
+ Particularly burglar-resistant construction in accordance with level C of DIN 4547



Tipping dimension: 2013
compartment width: 300
Body ventilation: Perforated strip in the wardrobe base/head unit
Adjustment travel level adjustment: 25
Body surface: varnished
Depth: 500
lock: Safety turning bolt
Substructure material: Made of plastic
changing room rail: fixed
for bolt size: 6-8
Substructure: Feet
Door opening angle: 90
Country of origin: EN
Door material: Steel
Profile changing room rails: oval
Labeling material: Made of plastic
Total internal height: 1787
Mounting front: bolt hinge
Attachment Labeling: self-adhesive
Front color: RAL 7035 light gray
Body color: RAL 7035 light gray
delivery condition: mounted
Height: 1950
Substructure height: 100

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

Datasheet "049310-10|S10006"

C+P Double-tier locker, Evolo PLUS, 2 cases, 1950x300x500mm, 7035/5010

GS tested safety: GS_TUV_Thueringen

Width: 300

key number: Bolt

Internal height of lower compartments: 893

Shipping method: by truck

front stop 2: Hinged on the right

Weight: 22.3

Material clothes hooks: Made of plastic

Door surface: varnished

Opening dimensions door (height): 854

Number of compartments: 1

Guarantee: 10 years

Front version: Hinged doors

Front color: RAL 5010 gentian blue

labeling: label holder

Inner depth: 477

Material changing room rails: Made of plastic

door opening limiter: Yes

Number of cases: 2

Number of clothes hooks/person: 3

Safety when setting off: Level C according to DIN 4547

Checkroom height: 795

Brand: Evolo PLUS

Internal height of top compartment: 892

Suitability for wall installation: Yes

series: Evolo PLUS

Inner width other: 298

Opening dimensions door (width): 240

Customs TariffNo_DE: 94031091

€420.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.

DMSZ zertifiziert nach ISO 9001 QM 00945

DMSZ zertifiziert nach ISO 50001 EnM 00945

DMSZ zertifiziert nach ISO 14001 UM 00945

DMSZ zertifiziert nach ISO 9001 QM 00945

TÜV Thüringen GS geprüfte Sicherheit

Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

Hessisches Präqualifikationsregister Zertifikat HPQR Auftragsberatungsstelle Hessen e.V.

SILVER | Top 15% ecovadis Sustainability Rating FEB 2024

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

„German Quality" from the market leader