Datasheet "049310-10|S10033"

# C+P Double-tier locker, Evolo PLUS, 2 cases, 1950x300x500mm, 7035/5010

Double-tier locker Evolo PLUS, 1 compartment with 2 cases, compartment width 300 mm, body made of sturdy steel construction with high-quality enamel coating for high UV and corrosion resistance, particularly burglar-proof construction in accordance with level C as per DIN 4547, with rear louvers at the top and bottom, inside each case 1 sturdy room rail made of oval profile with 3 anti-rotation double sliding hooks incl. system holder, Door opening limiter 90 degrees, as protection against overstretching the door, Door(s) hinged on the right, Steel doors with soft stop and closed side profiles for maximum stability, with easy-to-clean ventilation hole pattern at the top and bottom, mounting in sturdy bolt hinges, 2 Cylinder locks with 2 keys, locking circuit up to 1000 different key numbers, 100 mm high plastic feet for extended corrosion protection, with integrated level adjustment and sleeves to stylishly cover the adjustment screws, conveniently adjustable from the inside and outside, 2 Plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, Dimensions (H x W x D): 1950 x 300 x 500 mm, Color: RAL 7035 Light grey, Doors: RAL 5010 Gentian blue, Feet: RAL 7035 Light grey

**Product advantages:**

+ 50% space saving due to double-tier design compared to the single-tier model
+ Body with ventilation openings at the top and bottom for optimum air circulation
+ Doors extremely torsion resistant due to closed side profiles
+ Fronts additionally with easy-to-clean ventilation hole pattern for even more effective ventilation
+ Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
+ Increased corrosion protection thanks to zinc-plated locker base and sturdy feet made of plastic
+ Level adjustment for easy compensation of uneven floors
+ Particularly burglar-resistant construction in accordance with level C of DIN 4547



**Tipping dimension:** 2013
**compartment width:** 300
**Body ventilation:** Perforated strip in the wardrobe base/head unit
**Adjustment travel level adjustment:** 25
**Body surface:** varnished
**Depth:** 500
**Substructure material:** Made of plastic
**changing room rail:** fixed
**Substructure:** Feet
**Door opening angle:** 90
**Country of origin:** EN
**Door material:** Steel
**Profile changing room rails:** oval
**lock:** cylinder lock
**Labeling material:** Made of plastic
**Total internal height:** 1787
**Mounting front:** bolt hinge
**Attachment Labeling:** self-adhesive
**Front color:** RAL 7035 light gray
**Body color:** RAL 7035 light gray
**delivery condition:** mounted
**Number of keys:** 2
**Height:** 1950
**Substructure height:** 100

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

Datasheet "049310-10|S10033"

# C+P Double-tier locker, Evolo PLUS, 2 cases, 1950x300x500mm, 7035/5010

**GS tested safety:** GS_TUV_Thueringen

**Width:** 300

**key number:** Bolt

**Internal height of lower compartments:** 893

**Shipping method:** by truck

**front stop 2:** Hinged on the right

**Weight:** 22.3

**Material clothes hooks:** Made of plastic

**Door surface:** varnished

**Opening dimensions door (height):** 854

**Number of compartments:** 1

**Guarantee:** 10 years

**Front version:** Hinged doors

**Front color:** RAL 5010 gentian blue

**labeling:** label holder

**Inner depth:** 477

**Material changing room rails:** Made of plastic

**door opening limiter:** Yes

**Number of cases:** 2

**Number of clothes hooks/person:** 3

**Safety when setting off:** Level C according to DIN 4547

**Checkroom height:** 795

**Brand:** Evolo PLUS

**Internal height of top compartment:** 892

**Suitability for wall installation:** Yes

**series:** Evolo PLUS

**Inner width other:** 298

**Opening dimensions door (width):** 240

**Customs TariffNo_DE:** 94031091

## €420.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

## The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

## Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

## Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

## Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.

DMSZ zertifiziert nach ISO 9001 QM 00945

DMSZ zertifiziert nach ISO 50001 EnM 00945

DMSZ zertifiziert nach ISO 14001 UM 00945

DMSZ zertifiziert nach ISO 9001 QM 00945

TÜV Thüringen GS geprüfte Sicherheit

Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

Hessisches Präqualifikationsregister Zertifikat HPQR Auftragsberatungsstelle Hessen e.V.

SILVER | Top 15% ecovadis Sustainability Rating FEB 2024

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de



„German Quality" from the market leader