Datasheet "049010-403|S10001"

C+P assembled box lockers, Evolo PLUS, feet, 12 cases, 1950x1200x500mm, 7035/1023

assembled box locker Evolo PLUS, 4 compartments with 3 cases each, compartment widths 300 mm, body made of sturdy steel construction with high-quality enamel coating for high UV and corrosion resistance, specially break-open protected construction in accordance with level C of DIN 4547, Door opening limiter 90 degrees, as protection against overstretching the door, Door(s) hinged on the right, Omission label frame, Steel doors with soft stop and closed side profiles for maximum stability, mounting in sturdy bolt hinges, 12 Cylinder locks with 2 keys, locking circuit up to 1000 different key numbers, 100 mm high plastic feet for extended corrosion protection, with integrated level adjustment and sleeves to stylishly cover the adjustment screws, conveniently adjustable from the inside and outside, Dimensions (H x W x D): 1950 x 1200 x 500 mm, Color: RAL 7035 Light grey, Doors: RAL 1023 Traffic yellow, Feet: RAL 7035 Light grey

Product advantages:

+ Practical assembled box lockers for locking away personal items, for more order and security
+ Doors extremely torsion resistant due to closed side profiles
+ Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
+ Increased corrosion protection thanks to zinc-plated locker base and sturdy feet made of plastic
+ Level adjustment for easy compensation of uneven floors
+ Particularly burglar-resistant construction in accordance with level C of DIN 4547



Tipping dimension: 2013
compartment width: 300
Fachanordnung:
Body surface: varnished
Depth: 500
Substructure material: Made of plastic
Substructure: Feet
Door opening angle: 90
Country of origin: EN
Door material: Steel
lock: cylinder lock
Mounting front: bolt hinge
Front color: RAL 7035 light gray
Adjustment travel level adjustment:
Body color: RAL 7035 light gray
delivery condition: mounted
Number of keys: 2
Number of compartments: 4
Height: 1950
Substructure height: 100
GS tested safety: GS_TUV_Thueringen
Width: 300
key number: Bolt
Shipping method: by truck

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

Datasheet "049010-403|S10001"

C+P assembled box lockers, Evolo PLUS, feet, 12 cases, 1950x1200x500mm, 7035/1023

front stop 2: Hinged on the right
Door surface: varnished
Guarantee: 10 years
Front version: Hinged doors
Closing circuit:
Front color: RAL 1023 Traffic yellow
Inner depth: 477
door opening limiter: Yes
Innenhöhe Gefach mitte:
Safety when setting off: Level C according to DIN 4547
Internal height of lower compartments: 601
Brand: Evolo PLUS
Internal height of top compartment: 599
Suitability for wall installation: Yes
Weight: 74.7
series: Evolo PLUS
Inner width other: 298
Opening dimensions door (width): 240
Opening dimensions door (height): 561
Customs TariffNo_DE:
Number of cases: 12

€1,150.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.

DMSZ zertifiziert nach ISO 9001 QM 00945

DMSZ zertifiziert nach ISO 50001 EnM 00945

DMSZ zertifiziert nach ISO 14001 UM 00945

DMSZ zertifiziert nach ISO 9001 QM 00945

TÜV Thüringen GS geprüfte Sicherheit

Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

Hessisches Präqualifikationsregister Zertifikat HPQR Auftragsberatungsstelle Hessen e.V.

SILVER | Top 15% ecovadis Sustainability Rating FEB 2024

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

„German Quality" from the market leader