Datasheet "049010-10F|S10014"

# C+P lockers, Evolo PLUS, feet, 1 compartment, 1950x300x500mm, 7035/0004

locker Evolo PLUS, 1 compartment, compartment width 300 mm, body made of sturdy steel structure with high-quality enamel coating for high UV and corrosion resistance, particularly burglar-proof construction in accordance with level C to DIN 4547, with rear ventilation openings at the top and bottom, 1 storage shelf inside, 1 center partitions underneath as well as sturdy room changing room rails made of oval profile on the left and right, each with 2 double sliding hooks incl. system holder, Door opening limiter 90 degrees, as protection against overstretching the door, Door(s) hinged on the right, Steel door(s) with soft stop and closed side profiles for maximum stability, with easy-to-clean ventilation hole pattern at the top and bottom, mounting in sturdy bolt hinges, 1 Ergonomic safety turning bolt for padlocks with bolt size 6 to 8 mm, incl. door protection, 100 mm high plastic feet for extended corrosion protection, with integrated level adjustment and sleeves to stylishly cover the adjustment screws, conveniently adjustable from the inside and outside, 1 Plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, Dimensions (H x W x D): 1950 x 300 x 500 mm, Color: RAL 7035 Light grey, Doors: 0005000 RDS Steel grey, Feet: RAL 7035 Light grey

**Product advantages:**

+ Compact separation of private and work clothes as a space-saving solution
+ Body with ventilation openings at the top and bottom for optimum air circulation
+ Doors extremely torsion resistant due to closed side profiles
+ Fronts additionally with easy-to-clean ventilation hole pattern for even more effective ventilation
+ Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
+ Increased corrosion protection thanks to zinc-plated locker base and sturdy feet made of plastic
+ Level adjustment for easy compensation of uneven floors
+ Safety turning bolt latch for padlock, ergonomically shaped, turns when closed and thus prevents breaking open by over-turning
+ Particularly burglar-resistant construction in accordance with level C of DIN 4547



**Tipping dimension:** 2013

**compartment width:** 300

**Body ventilation:** Perforated strip in the wardrobe base/head unit

**Adjustment travel level adjustment:** 25

**Body surface:** varnished

**Depth:** 500

**lock:** Safety turning bolt

**Substructure material:** Made of plastic

**changing room rail:** fixed

**for bolt size:** 6-8

**Substructure:** Feet

**Door opening angle:** 90

**Country of origin:** EN

**Door material:** Steel

**Profile changing room rails:** oval

**Labeling material:** Made of plastic

**Total internal height:** 1787

**Mounting front:** bolt hinge

**Attachment Labeling:** self-adhesive

**Front color:** RAL 7035 light gray

**Body color:** RAL 7035 light gray

**delivery condition:** mounted

**Height:** 1950

**Substructure height:** 100

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0

Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

Datasheet "049010-10F|S10014"

# C+P lockers, Evolo PLUS, feet, 1 compartment, 1950x300x500mm, 7035/0004

**Checkroom height:** 1325

**Partitions material:** Steel

**Front color:** RAL 0005000 Steel gray

**GS tested safety:** GS_TUV_Thueringen

**Width:** 300

**key number:** Bolt

**Shipping method:** by truck

**front stop 2:** Hinged on the right

**Material clothes hooks:** Made of plastic

**Internal height of top compartment:** 365

**Door surface:** varnished

**Number of compartments:** 1

**Guarantee:** 10 years

**labeling:** label holder

**Inner depth:** 477

**Material changing room rails:** Made of plastic

**door opening limiter:** Yes

**Internal height of lower compartments:** 1420

**storage shelf:** fixed

**Number of clothes hooks/person:** 4

**Safety when setting off:** Level C according to DIN 4547

**Number of storage shelves:** 1

**Front version:**

**Brand:** Evolo PLUS

**Opening dimensions door (height):** 1749

**Partitions design:** fixed

**Suitability for wall installation:** Yes

**series:** Evolo PLUS

**Inner width other:** 298

**Opening dimensions door (width):** 240

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

Datasheet "049010-10F|S10014"

# C+P lockers, Evolo PLUS, feet, 1 compartment, 1950x300x500mm, 7035/0004

**Customs TariffNo_DE:** 94031091

**€399.00***

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

## The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

## Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

## Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

## Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.

DMSZ zertifiziert nach ISO 9001 QM 00945

DMSZ zertifiziert nach ISO 50001 EnM 00945

DMSZ zertifiziert nach ISO 14001 UM 00945

DMSZ zertifiziert nach ISO 9001 QM 00945

TÜV Thüringen GS geprüfte Sicherheit

Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

Hessisches Präqualifikationsregister Zertifikat HPQR Auftragsberatungsstelle Hessen e.V.

SILVER | Top 15% ecovadis Sustainability Rating FEB 2024

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de



„German Quality" from the market leader