Datasheet "0800427-20P|S10002"

C+P PSA locker to separate work- and streetwear, Classic PLUS, bench, 2 compartments, 2120x600x815mm, 7035/3020

PSA Lockers to separate work- and streetwear Classic PLUS, 2 compartments for 1 person, for separate storage of personal and work clothing, compartment widths 300 mm, sturdy steel construction body with high-quality enamel coating for high UV and corrosion resistance, with rear ventilation openings at the top and bottom, 1 full-length storage shelf inside for extra-large PPE case, 1 changing room rail made of oval profile with 3 twistable double sliding hooks incl. system mount for each compartment. System holder, doors closing in the middle for joint lock, with underframe and floating seats, frames made of sturdy square steel tube 30 x 30 mm, with adjustable floor gliders for easy level adjustment, Door openings 110 degrees, Steel doors with soft stop and closed side profiles for high stability, with ventilation gills at the top and bottom and punched label holder, door mounted on bolt hinges, 1 Ergonomic safety turning bolt for padlocks with bolt size 6 to 8 mm, incl. door protection, Seat bars made of hardwood beech, profile approx. 60 x 25 mm, rounded edges for good seating comfort, coated with clear varnish with natural color differences, Dimensions (H x W x D): 2120 x 600 x 815 mm, Color: RAL 7035 light gray, Doors: RAL 3020 traffic red, Frame: RAL 7021 black gray

Product advantages:

+ Safe and convenient separation of private and work clothing in accordance with ASR (workplace guidelines)
+ Body with ventilation openings at the top and bottom for optimum air circulation
+ Doors hinged together for a common lock
+ Closed door side profiles for high torsion resistance
+ Fronts with additional ventilation gills for even more effective ventilation
+ Level adjustment for easy compensation of uneven floors
+ Full-length storage shelves per double compartment for extra-large PPE case
+ Safety turning bolt latch for padlock, ergonomically shaped, turns when closed and thus prevents breaking open by over-turning
+ Underframes with "free-floating" seats for more leg room and easy floor cleaning
+ Seat bars made of hardwood beech, planed and varnished on all sides, rounded edges for good seating comfort
+ Break-open protected construction according to level B in accordance with DIN 4547



Door opening angle: 110
Depth: 815
lock: Safety turning bolt
Front color: RAL 3020 Traffic red
Opening dimensions door (height): 1599
Substructure: frame
Body color: RAL 7035 light gray
Number of compartments: 2
Height: 2120
Width: 300
Inner depth: 477
Total internal height: 1637
Inner width other: 298
Opening dimensions door (width): 240
Weight: 40.9
Guarantee: 10

€635.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.

DMSZ zertifiziert nach ISO 9001 QM 00945

DMSZ zertifiziert nach ISO 50001 EnM 00945

DMSZ zertifiziert nach ISO 14001 UM 00945

DMSZ zertifiziert nach ISO 9001 QM 00945

TÜV Thüringen GS geprüfte Sicherheit

Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

Hessisches Präqualifikationsregister Zertifikat HPQR Auftragsberatungsstelle Hessen e.V.

SILVER | Top 15% ecovadis Sustainability Rating FEB 2024

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

„German Quality" from the market leader