
### Datasheet "0800327-20P|S10005"



C+P PSA locker to separate workand streetwear, Classic PLUS, frame, 2 compartments, 2120x600x500mm, 7035/5023

PSA Lockers to separate work- and streetwear Classic PLUS, 2 compartments for 1 person, for separate storage of personal and work clothing, compartment widths 300 mm, sturdy steel construction body with high-quality enamel coating for high UV and corrosion resistance, with rear ventilation openings at the top and bottom, inside 1 full-length storage shelf for extra large PPE case, 1 changing room rail made of oval profile with 3 twistable double sliding hooks incl. system mount for each compartment. System holder, doors closing in the middle for joint lock, with underframes made of sturdy square steel tube 30 x 30 mm, with adjustable floor gliders for easy level adjustment, Door openings 110 degrees, Steel doors with soft stop and closed side profiles for high stability, with ventilation gills at the top and bottom and punched label holder, door mounted on bolt hinges, 1 Ergonomic safety turning bolt for padlocks with bolt size 6 to 8 mm, incl. door protection, Dimensions (H x W x D): 2120 x 600 x 500 mm, Color: RAL 7035 light gray,

- + Safe and convenient separation of private and work clothing in accordance with ASR (workplace guidelines)
- + Body with ventilation openings at the top and bottom for optimum air circulation
- + Doors hinged together for a common lock
- + Closed door side profiles for high torsion resistance
- + Fronts with additional ventilation gills for even more effective ventilation
- + Level adjustment for easy compensation of uneven floors
- + Full-length storage shelves per double compartment for extra-large PPE case
- + Safety turning bolt latch for padlock, ergonomically shaped, turns when closed and thus prevents breaking open by over-turning
- + Break-open protected construction according to level B in accordance with DIN 4547



Doors: RAL 5023 distant blue, Frame: RAL 7021 black gray **Product advantages:** 



Door opening angle: 110

**Depth:** 500

lock: Safety turning bolt **Opening dimensions door** 

(height): 1599

Substructure: frame

Body color: RAL 7035 light gray Number of compartments: 2 Front color: RAL 5023 Far blue

Height: 2120 Width: 300

Inner depth: 477

Total internal height: 1637 Inner width other: 298 **Opening dimensions door** 

(width): 240 Weight: 40.9 Guarantee: 10

#### €555.00\*

\*List price excl. VAT plus shipping costs

C + P Möbelsysteme

GmbH & Co. KG Telephone: +49 6465 919-

Boxbachstraße 1

Fax: +49 6465 919-200 35236 Breidenbach USt.-ID: DE 183061659 Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy



# The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

# Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

#### Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

### Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our inhouse test laboratory on the one hand and, of course, regular external inspections and controls on the other.



DMSZ zertifiziert nach ISO 50001 DMSZ
zertifiziert nach
ISO 14001

UM 00945

DMSZ zertifiziert nach ISO 9001



Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.





C + P Möbelsysteme Contact

GmbH & Co. KG Telephone: +49 6465 919-

Boxbachstraße 1

35236 Breidenbach Fax: +49 6465 919-200 USt.-ID: DE 183061659 Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

