



## C+P firemen's locker, Expert, 2 compartments, 1850x600x500mm, 3000

Firemen's locker Expert, 2 compartments, compartment width 300 mm, body made of sturdy steel structure with high-quality enamel coating for high UV and corrosion resistance, electrolytic galvanized bottom section, with rear ventilation openings at the top and bottom, 1 storage shelf inside each compartment, 1 sturdy changing room rail made of oval profile with 3 twist-proof double sliding hooks incl. system holder underneath, With floor gliders for practical cabinet and floor protection, 2 Multifunctional hook rails on the sides, each with 3 sliding stainless steel sliding hooks for safety belt, lifeline, etc., 2 Helmet holder made of plastic on the top of the locker, foldable, Dimensions (H x W x D): 1850 x 600 x 500 mm, Colour: RAL 3000 Flame red

### Product advantages:

- + Foldable helmet holder for quick and easy removal in case of use
- + Optimally suited as an emergency cabinet for special areas such as water or height rescue



**Adjustment travel level adjustment:** 25

**Body surface:** varnished

**Depth:** 500

**hook rail:** fixed

**Material hooks (hook rails):** Stainless steel

**changing room rail:** fixed

**Internal height of lower compartments:** 1421

**Country of origin:** EN

**Profile changing room rails:** oval

**Substructure surface:** varnished

**Helmet holder material:** Made of plastic

**Total internal height:** 1787

**Profile hook rails:** oval

**delivery condition:** mounted

**Substructure height:** 100

**level adjustment:** Yes

**Checkroom height:** 1325

**Height:** 1850

**Shipping method:** by truck

**Material clothes hooks:** Made of plastic

**Color base:** RAL 7021 Black gray

**Internal height of top compartment:** 365

**Guarantee:** 10 years

**Inner depth:** 477



# C+P firemen's locker, Expert, 2 compartments, 1850x600x500mm, 3000

**Material hook rails:** Made of plastic  
**Material changing room rails:** Made of plastic  
**Tipping dimension:** 1916  
**storage shelf:** fixed  
**series:** Expert  
**Number of hooks/hook rails:** 3  
**Front version:** open  
**Opening dimensions door (height):** 327  
**Brand:** Expert  
**Suitability for wall installation:** Yes  
**Body material:** Steel

**€485.00\***

\*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG  
GmbH & Co. KG  
Boxbachstraße 1  
35236 Breidenbach  
USt.-ID: DE 183061659

Contact:  
Telephone: +49 6465 919-0  
Fax: +49 6465 919-200  
Email: [sales@cp.de](mailto:sales@cp.de)

[Terms and Conditions](#) / [Legal Notice](#) / [Privacy Policy](#)



## The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

## Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

## Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

## Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.



Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.



C + P GmbH & Co. KG  
GmbH & Co. KG  
Boxbachstraße 1  
35236 Breidenbach  
USt.-ID: DE 183061659

Contact:  
Telephone: +49 6465 919-0  
Fax: +49 6465 919-200  
Email: [sales@cp.de](mailto:sales@cp.de)

[Terms and Conditions](#) / [Legal Notice](#) / [Privacy Policy](#)

