



## C+P firemen's locker, Flexo, 1 compartment, 1850x500x500mm, 7035/7035

Firemen's locker Flexo, 1 compartment, compartment width 500 mm, body made of sturdy steel construction with high-quality enamel coating for high UV and corrosion resistance, electrolytic galvanized bottom, with rear louver at top and bottom, inside 1 sturdy room rail made of oval profile with 5 anti-rotation double sliding hooks incl. system holder, 1 Security compartments with insertion opening, 1 Helmet base, shortened, for kink-free placement of the neck guard, 1 Multifunctional hook rails on the side, each with 3 sliding stainless steel sliding hooks for safety belt, lifeline, etc., 1 Cylinder lock with 2 keys, locking circuit up to 1000 different key numbers, 1 Helmet holder made of plastic in the cabinet, foldable, Plastic feet, set consisting of 4 pieces, Dimensions (H x W x D): 1850 x 500 x 500 mm, Colour: RAL 7035 Light grey, Doors: RAL 7035 Light grey, Feet: RAL 7035 Light grey

### Product advantages:

- + Spacious solution for workwear or compact separation of work- and streetwear with optional partition
- + Increased corrosion protection thanks to zinc-plated locker base and sturdy feet made of plastic



**Helmet bottom:** shortened

**Adjustment travel level adjustment:** 25

**Body surface:** varnished

**Key type:** Beard key

**hook rail:** fixed

**Material hooks (hook rails):** Stainless steel

**changing room rail:** fixed

**Internal height of lower compartments:** 1421

**Country of origin:** EN

**Profile changing room rails:** oval

**lock:** cylinder lock

**Substructure surface:** varnished

**Closing circuit:** up to 1000

**Helmet holder material:** Made of plastic

**Total internal height:** 1787

**Profile hook rails:** oval

**delivery condition:** mounted

**Number of keys:** 2

**Substructure height:** 100

**level adjustment:** Yes

**Innenhöhe Gefach mitte:** 185

**Checkroom height:** 1325

**Height:** 1850

**key number:** Bolt



# C+P firemen's locker, Flexo, 1 compartment, 1850x500x500mm, 7035/7035

**Shipping method:** by truck

**Material clothes hooks:** Made of plastic

**insertion slot:** Yes

**Internal height of top compartment:** 365

**Guarantee:** 10 years

**Material hook rails:** Made of plastic

**Material changing room rails:** Made of plastic

**Security compartments height:** 178

**Security compartments width:** 173

**Number of hooks/hook rails:** 3

**Security compartments depth:** 377  
**compartment width:** 500

**€556.00\***

\*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG  
GmbH & Co. KG  
Boxbachstraße 1  
35236 Breidenbach  
USt.-ID: DE 183061659

Contact:  
Telephone: +49 6465 919-0  
Fax: +49 6465 919-200  
Email: sales@cp.de

[Terms and Conditions](#) / [Legal Notice](#) / [Privacy Policy](#)



## The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

## Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

## Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

## Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.



Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.



C + P GmbH & Co. KG  
GmbH & Co. KG  
Boxbachstraße 1  
35236 Breidenbach  
USt.-ID: DE 183061659

Contact:  
Telephone: +49 6465 919-0  
Fax: +49 6465 919-200  
Email: [sales@cp.de](mailto:sales@cp.de)

[Terms and Conditions](#) / [Legal Notice](#) / [Privacy Policy](#)

