



C+P storage lockers, Evolo PLUS, 2 compartments, 1950x600x500mm, 7035/3020

storage solutions Evolo PLUS, 2 compartments, compartment widths 300 mm, body made of sturdy steel construction with high-quality enamel coating for high UV and corrosion resistance, particularly burglar-resistant construction in accordance with level C to DIN 4547, with rear louvers at the top and bottom, 4 shelves inside per compartment, doors hinged on the right, Door opening limiter 90 degrees, as protection against overstretching the door, Door(s) hinged on the right, Steel doors with soft stop and closed side profiles for maximum stability, with easy-to-clean ventilation hole pattern at the top and bottom, mounting in sturdy bolt hinges, 2 Cylinder locks with 2 keys, locking circuit up to 1000 different key numbers, 100 mm high plastic feet for extended corrosion protection, with integrated level adjustment and sleeves to stylishly cover the adjustment screws, conveniently adjustable from the inside and outside, 2 Plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, Dimensions (H x W x D): 1950 x 600 x 500 mm, Color: RAL 7035 Light grey, Doors: RAL 3020 Traffic red, Feet: RAL 7035 Light grey

Product advantages:

- + Body with ventilation openings at the top and bottom for optimum air circulation
- + Doors extremely torsion resistant due to closed side profiles
- + Fronts additionally with easy-to-clean ventilation hole pattern for even more effective ventilation
- + Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
- + Increased corrosion protection thanks to zinc-plated locker base and sturdy feet made of plastic
- + Level adjustment for easy compensation of uneven floors
- + Particularly burglar-resistant construction in accordance with level C of DIN 4547



Tipping dimension: 2013

compartment width: 300

Body ventilation: Perforated strip in the wardrobe base/head unit

Adjustment travel level adjustment: 25

Body surface: varnished

Depth: 500

Substructure material: Made of plastic

Front color: RAL 3020 Traffic red

Substructure: Feet

Country of origin: EN

Door material: Steel

lock: cylinder lock

Labeling material: Made of plastic

Total internal height: 1787

Mounting front: bolt hinge

Attachment Labeling: self-adhesive

Front color: RAL 7035 light gray

Body color: RAL 7035 light gray

delivery condition: mounted

Height: 1950


Substructure height: 100

GS tested safety:

GS_TUV_Thuringen

Shipping method: by truck

front stop 2: Hinged on the right



C+P storage lockers, Evolo PLUS, 2 compartments, 1950x600x500mm, 7035/3020

Internal height of top compartment: 365
Door surface: varnished
Guarantee: 10 years
Front version: Hinged doors
labeling: label holder
Inner depth: 477
door opening limiter: Yes
storage shelf: fixed
Door opening angle:
Brand: Evolo PLUS
Opening dimensions door (height): 1749
Internal height of lower compartments: 368
Suitability for wall installation: Yes
series: Evolo PLUS
Width: 600
Opening dimensions door (width): 240
Innenhöhe Gefach mitte: 350
Customs TariffNo_DE: 94031091

€629.00*

*List price excl. VAT plus shipping costs

The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.



Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

