Datasheet "0490537-102|S10065"

C+P Z-Lockers, Evolo PLUS, bench, 2 cases, 2120x300x815mm, 7035/6037

z Locker Evolo PLUS, for 2 people, 1 compartment divided in a Z-shape, compartment width 300 mm, body made of sturdy steel structure with high-quality enamel coating for high UV and corrosion resistance, particularly burglar-proof construction in accordance with level C as per DIN 4547, with rear louvers at the top and bottom, inside convenient hanging room for long items of clothing despite limited space, 1 sturdy oval profile changing room rail per case with 3 twist-proof double sliding hooks incl. system mount. System holder, with bench built underneath the locker, frame made of sturdy 30 x 30 mm square steel tube, with adjustable floor gliders for easy level adjustment, Door opening limiter 90 degrees, as protection against overstretching the door, 2 Set of doors, consisting of right and left Basic PLUS doors with soft stop and closed side profiles for high stability, door mounted on bolt hinges, 2 Ergonomic safety turning bolt for padlocks with bolt size 6 to 8 mm, incl. door protection, Seat bars made of plastic material, with steel core for high stability, 2 Plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, Dimensions (H x W x D): 2120 x 300 x 815 mm, Color: RAL 7035 Light grey, Doors: RAL 6037 Pure green, Frame: RAL 7021 Black grey, seat surface: RAL 7035 Light grey

Product advantages:

+ Z-shaped layout for hanging long items of clothing with reduced space requirements in the room
+ Body with ventilation openings at the top and bottom for optimum air circulation
+ Doors extremely torsion resistant due to closed side profiles
+ Fronts additionally with easy-to-clean ventilation hole pattern for even more effective ventilation
+ Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
+ Level adjustment for easy compensation of uneven floors
+ Safety turning bolt latch for padlock, ergonomically shaped, turns when closed and thus prevents breaking open by over-turning
+ Bench built underneath the locker for easy floor cleaning and a clean look
+ Seat bars made of plastic material for optimum hygiene and cleaning
+ Particularly burglar-resistant construction in accordance with level C of DIN 4547



Body ventilation: Perforated strip in the wardrobe base/head unit

Bench seat depth: 310

Depth: 815

Body surface: varnished

Key type: Beard key

Opening dimensions door (height): 1142

changing room rail: fixed

for bolt size: 6-8

Substructure material: Steel

Benches Seat height: 450

Door opening angle: 90

Door material: Steel

Profile changing room rails: oval

Front fitting: inside

Labeling material: Made of plastic

Substructure surface: varnished

Closing circuit: up to 1000

Mounting front: bolt hinge

Attachment Labeling: self-adhesive

Substructure: frame

front stop: DIN left+right

Number of keys: 2

delivery condition: Partially assembled

level adjustment: Yes

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

Datasheet "0490537-102|S10065"

C+P Z-Lockers, Evolo PLUS, bench, 2 cases, 2120x300x815mm, 7035/6037

Substructure height: 420

front stop type: folding in

Frame profile: Square tube

for padlocks: Yes

Material clothes hooks: Made of plastic

Front ventilation: Ventilation hole pattern

Door surface: varnished

bench: Yes

Checkroom height: 1079

Guarantee: 10 years

labeling: label holder

Inner depth: 477

Material changing room rails: Made of plastic

front stop 2: hinged on the left + hinged on the right

door opening limiter: Yes

seat height: 450

seat: Last

Total internal height: 1637

Adjustment travel level adjustment: 40

Internal height of top compartment: 453

Front version: Z-shaped

Internal height of lower compartments: 1181

Suitability for wall installation: Yes

Bench type: underbuilt

Body material: Steel

€742.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.

DMSZ zertifiziert nach ISO 9001 QM 00945

DMSZ zertifiziert nach ISO 50001 EnM 00945

DMSZ zertifiziert nach ISO 14001 UM 00945

DMSZ zertifiziert nach ISO 9001 QM 00945

TÜV Thüringen GS geprüfte Sicherheit

Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

Hessisches Präqualifikationsregister Zertifikat HPQR Auftragsberatungsstelle Hessen e.V.

SILVER | Top 15% ecovadis Sustainability Rating FEB 2024

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

„German Quality" from the market leader