



C+P Z-Lockers, Evolo PLUS, frames, 4 cases, 2120x800x500mm, 2004/2004

z Locker Evolo PLUS, for 4 people, 2 compartments divided in a Z-shape, compartment width 400 mm, body made of sturdy steel structure with high-quality enamel coating for high UV and corrosion resistance, particularly burglar-proof construction in accordance with level C as per DIN 4547, with rear louvers at the top and bottom, inside convenient hanging room for long items of clothing despite limited space, 1 sturdy changing room rail made of oval profile with 3 torsion-proof double sliding hooks incl. per case. System holder, with frames made of sturdy square steel tube 30 x 30 mm, with adjustable floor gliders for easy level adjustment, Door opening limiter 90 degrees, as protection against overstretching the door, 4 Set of doors, consisting of right and left Basic PLUS doors with soft stop and closed side profiles for high stability, door mounted on bolt hinges, 4 Cylinder locks with 2 keys, locking circuit up to 1000 different key numbers, 4 Plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, Dimensions (H x W x D): 2120 x 800 x 500 mm, Color: RAL 2004 Pure orange, Doors: RAL 2004 Pure orange, Frame: RAL 7021 Black grey

Product advantages:

- + Z-shaped layout for hanging long items of clothing with reduced space requirements in the room
- + Body with ventilation openings at the top and bottom for optimum air circulation
- + Doors extremely torsion resistant due to closed side profiles
- + Fronts additionally with easy-to-clean ventilation hole pattern for even more effective ventilation
- + Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
- + Level adjustment for easy compensation of uneven floors
- + Particularly burglar-resistant construction in accordance with level C of DIN 4547



Body ventilation: Perforated strip in the wardrobe base/head unit

Body surface: varnished

Depth: 500

Key type: Beard key

Opening dimensions door (height): 1142

changing room rail: fixed

for bolt size: 6-8

Substructure material: Steel

Door opening angle: 90

Door material: Steel

Profile changing room rails: oval

Front fitting: inside

Labeling material: Made of plastic

Substructure surface: varnished

Closing circuit: up to 1000

Mounting front: bolt hinge

Attachment Labeling: self-adhesive

Substructure: frame

front stop: DIN left+right

Number of keys: 2

delivery condition: Partially assembled

level adjustment: Yes

Substructure height: 420

front stop type: folding in



C+P Z-Lockers, Evolo PLUS, frames, 4 cases, 2120x800x500mm, 2004/2004

Frame profile: Square tube
for padlocks: Yes
Material clothes hooks: Made of plastic
Front ventilation: Ventilation hole pattern
Door surface: varnished
Checkroom height: 1079
Guarantee: 10 years
labeling: label holder
Inner depth: 477
Material changing room rails: Made of plastic
front stop 2: hinged on the left + hinged on the right
door opening limiter: Yes
Total internal height: 1637
Adjustment travel level adjustment: 40
Internal height of top compartment: 453
Front version: Z-shaped
Internal height of lower compartments: 1181
Suitability for wall installation: Yes
Body material: Steel

€1,636.45*

*List price excl. VAT plus shipping costs

The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.



Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.



C + P GmbH & Co. KG
GmbH & Co. KG
Boxbachstraße 1
35236 Breidenbach
USt.-ID: DE 183061659

Contact:
Telephone: +49 6465 919-0
Fax: +49 6465 919-200
Email: sales@cp.de

[Terms and Conditions](#) / [Legal Notice](#) / [Privacy Policy](#)

