Datasheet "0490427-20|S10057"



C+P locker to separate work- and streetwear, Evolo PLUS, bench, 2 compartments, 2120x600x815mm, 7035/3000

locker to separate work- and streetwear Evolo PLUS, 2 compartments for 1 person, for separate storage of private and work clothes, compartment widths 300 mm, body made of sturdy steel construction with high-quality enamel coating for high UV and corrosion resistance, particularly burglar-proof construction in accordance with level C as per DIN 4547, with rear louvers at the top and bottom, 1 storage shelf inside each compartment, 1 sturdy room rails made of oval profile with 3 double sliding hooks incl. adjustable floor glides for joint locking. System holder, doors closing in the middle for joint lock, with underframe and floating seats, frames made of sturdy square steel tube 30 x 30 mm, with adjustable floor gliders for easy level adjustment, Door opening limiter 90 degrees, as protection against overstretching the door, Steel doors with soft stop and closed side profiles for maximum stability, with easy-to-clean ventilation hole pattern at the top and bottom, mounting in sturdy bolt hinges, 1 Ergonomic safety turning bolt for padlocks with bolt size 6 to 8 mm, incl. door protection, Seat bars made of plastic material, with steel core for high stability, 2 Plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, Dimensions (H \times W \times D): 2120 \times 600 \times 815 mm, Color: RAL 7035 Light grey, Doors: RAL 3000 Flame red, Frame: RAL 7021 Black grey, seat surface: RAL 7035 Light grey

Product advantages:

- + Safe and convenient separation of private and work clothing in accordance with ASR (workplace guidelines)
- + Body with ventilation openings at the top and bottom for optimum air circulation
- + Doors hinged together for a common lock
- + Doors extremely torsion resistant due to closed side profiles
- + Fronts additionally with easy-to-clean ventilation hole pattern for even more effective ventilation
- + Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
- + Level adjustment for easy compensation of uneven floors
- + Safety turning bolt latch for padlock, ergonomically shaped, turns when closed and thus prevents breaking open by over-turning
- + Underframes with "free-floating" seats for more leg room and easy floor cleaning
- + Seat bars made of plastic material for optimum hygiene and cleaning
- + Particularly burglar-resistant construction in accordance with level C of DIN 4547



Body ventilation: Perforated strip in

the wardrobe base/head unit **Bench seat depth:** 310

Depth: 815

Body surface: varnished lock: Safety turning bolt Bench type: cantilevered changing room rail: fixed

Opening dimensions door (height):

1599

for bolt size: 6-8

Benches Seat height: 450

Door material: Steel

Profile changing room rails: oval

Front fitting: inside

Labeling material: Made of plastic **Substructure surface:** varnished

Mounting front: bolt hinge

Attachment Labeling: self-adhesive

Substructure: frame front stop: DIN left+right level adjustment: Yes

Height: 2120

front stop type: folding in Frame profile: Square tube

for padlocks: Yes

C + P Möbelsysteme GmbH & Co. KG Boxbachstraße 1 35236 Breidenbach

Tolonh

Contact:

Telephone: +49 6465 919-0 Fax: +49 6465 919-200 Email: sales@cp.de

USt.-ID: DE 183061659

"German Quality"
from the market leader

Datasheet "0490427-20|S10057"

C+P locker to separate work- and streetwear, Evolo PLUS, bench, 2 compartments, 2120x600x815mm, 7035/3000



Material clothes hooks: Made of

plastic

Front ventilation: Ventilation hole

pattern

Internal height of lower compartments: 1270 Internal height of top compartment: 365 Door surface: varnished

bench: Yes

Guarantee: 10 years

Front version: Hinged doors

labeling: label holder Inner depth: 477

Material changing room rails: Made

of plastic

front stop 2: interlocking door opening limiter: Yes

seat height: 450 storage shelf: fixed

Total internal height: 1637 Adjustment travel level

adjustment: 40

Checkroom height: 1175

€619.00*

*List price excl. VAT plus shipping costs

C + P Möbelsysteme GmbH & Co. KG Boxbachstraße 1 35236 Breidenbach USt.-ID: DE 183061659 Contact:

Telephone: +49 6465 919-0 Fax: +49 6465 919-200 Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy



Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.

DMSZ zertifiziert nach ISO 9001

DMSZ zertifiziert nach ISO 50001 DMSZ
zertifiziert nach
ISO 14001

UM 00945

DMSZ zertifiziert nach ISO 9001



Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.





C + P Möbelsysteme GmbH & Co. KG Boxbachstraße 1 35236 Breidenbach USt.-ID: DE 183061659 Contact:

Telephone: +49 6465 919-0 Fax: +49 6465 919-200 Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

