Datasheet "0490427-20P|S10062"



C+P PSA locker to separate work- and streetwear, Evolo PLUS, bench, 2 compartments, 2120x600x815mm, 7035/5023

PSA Lockers to separate work- and streetwear Evolo PLUS, 2 compartments for 1 person, for separate storage of personal and work clothing, compartment widths 300 mm, sturdy steel construction body with high-quality enamel coating for high UV and corrosion resistance, with rear ventilation openings at the top and bottom, inside 1 full-length storage shelf for extra-large PPE case, below each compartment 1 sturdy room rail made of oval profile with 3 twistable double sliding hooks incl. system mount. System holder, doors closing in the middle for joint lock, with underframe and floating seats, frames made of sturdy square steel tube 30 x 30 mm, with adjustable floor gliders for easy level adjustment, Door opening limiter 90 degrees, as protection against overstretching the door, Steel doors with soft stop and closed side profiles for maximum stability, with easy-to-clean ventilation hole pattern at the top and bottom, mounting in sturdy bolt hinges, 1 Ergonomic safety turning bolt for padlocks with bolt size 6 to 8 mm, incl. door protection, Seat bars made of plastic material, with steel core for high stability, 2 Plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, Dimensions (H x W x D): 2120 x 600 x 815 mm, Color: RAL 7035 Light grey, Doors: RAL 5023 Distant blue, Frame: RAL 7021 Black grey, seat surface: RAL 7035 Light grey

Product advantages:

- + Safe and convenient separation of private and work clothing in accordance with ASR (workplace guidelines)
- + Body with ventilation openings at the top and bottom for optimum air circulation
- + Doors hinged together for a common lock
- + Doors extremely torsion resistant due to closed side profiles
- + Fronts additionally with easy-to-clean ventilation hole pattern for even more effective ventilation
- + Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
- + Level adjustment for easy compensation of uneven floors
- + Full-length storage shelves per double compartment for extra-large PPE case
- + Safety turning bolt latch for padlock, ergonomically shaped, turns when closed and thus prevents breaking open by over-turning
- + Underframes with "free-floating" seats for more leg room and easy floor cleaning
- + Seat bars made of plastic material for optimum hygiene and cleaning
- + Particularly burglar-resistant construction in accordance with level C of DIN 4547



Body ventilation: Perforated strip in

the wardrobe base/head unit **Bench seat depth:** 310

Depth: 815

Body surface: varnished lock: Safety turning bolt Bench type: cantilevered changing room rail: fixed

Opening dimensions door (height):

1599

for bolt size: 6-8

Substructure material: Steel Benches Seat height: 450 Door opening angle: 90 Door material: Steel

Profile changing room rails: oval

Front fitting: inside

Labeling material: Made of plastic **Substructure surface:** varnished

Mounting front: bolt hinge

Attachment Labeling: self-adhesive

Substructure: frame front stop: DIN left+right delivery condition: Partially

assembled

level adjustment: Yes

Height: 2120

C + P Möbelsysteme GmbH & Co. KG Boxbachstraße 1 35236 Breidenbach USt.-ID: DE 183061659 Contact:

Telephone: +49 6465 919-0 Fax: +49 6465 919-200 Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy



Datasheet "0490427-20P|S10062"

C+P PSA locker to separate work- and streetwear, Evolo PLUS, bench, 2 compartments, 2120x600x815mm, 7035/5023



Substructure height: 420 front stop type: folding in Frame profile: Square tube

for padlocks: Yes

Material clothes hooks: Made of

plastic

Front ventilation: Ventilation hole

pattern

Internal height of lower compartments: 1270 Internal height of top compartment: 365 Door surface: varnished

bench: Yes

Guarantee: 10 years

Front version: Hinged doors

labeling: label holder Inner depth: 477

Material changing room rails: Made

of plastic

front stop 2: interlocking
door opening limiter: Yes

seat height: 450

seat: Last

storage shelf: fixed

Total internal height: 1637 Adjustment travel level

adjustment: 40

Checkroom height: 1175

Suitability for wall installation: Yes

Body material: Steel

€700.00*

*List price excl. VAT plus shipping costs

C + P Möbelsysteme GmbH & Co. KG Boxbachstraße 1 35236 Breidenbach Contact:

Telephone: +49 6465 919-0 Fax: +49 6465 919-200 Email: sales@cp.de

USt.-ID: DE 183061659



The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.

DMSZ zertifiziert nach ISO 9001

DMSZ zertifiziert nach ISO 50001 DMSZ
zertifiziert nach
ISO 14001

UM 00945

DMSZ zertifiziert nach ISO 9001



Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.





C + P Möbelsysteme GmbH & Co. KG Boxbachstraße 1 35236 Breidenbach USt.-ID: DE 183061659 Contact:

Telephone: +49 6465 919-0 Fax: +49 6465 919-200 Email: sales@cp.de

