



## C+P Top cabinets, Evolo PLUS, 2 compartments, 500x600x500mm, 7035/0004

top cabinet Evolo PLUS, 2 compartments, compartment widths 300 mm, body made of sturdy steel construction with high-quality enamel coating for high UV and corrosion resistance, with rear louvers at the top and bottom, doors closing in the middle for common lock, Omission label frame, Steel doors with soft stop and closed side profiles for maximum stability, with easy-to-clean ventilation hole pattern at the top and bottom, mounting in sturdy bolt hinges, Door opening limiter 90 degrees, as protection against overstretching the door, 1 Ergonomic safety turning bolt for padlocks with bolt size 6 to 8 mm, incl. door protection, Dimensions (H x W x D): 500 x 600 x 500 mm, Color: RAL 7035 Light grey, Doors: 0005000 RDS Steel grey

### Product advantages:

- + Practical expansion of storage space on the same footprint
- + Body with ventilation openings at the top and bottom for optimum air circulation
- + Doors hinged together for a common lock
- + Doors extremely torsion resistant due to closed side profiles
- + Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
- + Safety turning bolt latch for padlock, ergonomically shaped, turns when closed and thus prevents breaking open by over-turning
- + Particularly burglar-resistant construction in accordance with level C of DIN 4547



**Opening dimensions door (height):** 433

**Body ventilation:** Perforated strip in the wardrobe base/head unit

**Body surface:** varnished

**partition:** center

**Depth:** 500

**Key type:** Beard key

**for bolt size:** 6-8

**Door opening angle:** 90

**Door material:** Steel

**Front fitting:** inside

**Closing circuit:** up to 1000

**Mounting front:** bolt hinge

**front stop:** DIN left+right

**delivery condition:** mounted

**Height:** 500

**Number of keys:** 2

**Partitions material:** Steel

**front stop type:** folding in

**for padlocks:** Yes

**Door surface:** varnished

**Front version:** Hinged doors

**Inner depth:** 477

**front stop 2:** interlocking

**door opening limiter:** Yes

Datasheet "049092-20|S10014"



C+P Top cabinets, Evolo PLUS, 2  
compartments, 500x600x500mm,  
7035/0004

**Total internal height:** 471

**Partitions design:** fixed

**Suitability for wall installation:** Yes

**Body material:** Steel

**€325.00\***

\*List price excl. VAT plus shipping costs

---

C + P Möbelsysteme  
GmbH & Co. KG  
Boxbachstraße 1  
35236 Breidenbach  
USt.-ID: DE 183061659

Contact:  
Telephone: +49 6465 919-0  
Fax: +49 6465 919-200  
Email: sales@cp.de

[Terms and Conditions](#) / [Legal Notice](#) / [Privacy Policy](#)



## The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

## Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

## Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

## Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.



Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.



C + P Möbelsysteme  
GmbH & Co. KG  
Boxbachstraße 1  
35236 Breidenbach  
USt.-ID: DE 183061659

Contact:  
Telephone: +49 6465 919-0  
Fax: +49 6465 919-200  
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

