Datasheet "049090-10|S10006"

C+P Top cabinet, series Evolo PLUS, 1 compartment

Aufsatzschrank Evolo PLUS, 1 Abteil, Abteilbreite 300 mm, Korpus aus stabiler Stahlkonstruktion mit hochwertiger Einbrennbeschichtung für hohe UV- und Korrosionsbeständigkeit, geschlossene und abgeschrägte Seitenprofile für leichte Innenreinigung und komfortable Entnahme von Kleidung und Taschen, geeignet für verdeckte Kabelführung, mit hinteren Belüftungsöffnungen oben und unten, Türöffnungsbegrenzer 90 Grad, als Schutz vor Überdehnen der Tür, Tür(en) rechts angeschlagen, Stahl-Türen mit Soft-Anschlag und geschlossenen Seitenprofilen für höchste Stabilität, mit reinigungsfreundlichem Belüftungslochbild oben und unten, Aufhängung in stabilen Drehbolzen, 1 Ergonomische Sicherheits-Drehriegel für Vorhangschloss mit Bügelstärke 6 bis 8 mm, inkl. Tür-Schutz, Maße (H x B x T): 500 x 300 x 500 mm, Korpus: RAL 7035 Lichtgrau, Türen Stahl: RAL 5010 Enzianblau

Produktvorteile:

+ Sicherheits-Drehriegelverschluss für Vorhängeschloss, ergonomisch geformt, dreht in geschlossenem Zustand durch und verhindert damit das Aufbrechen durch Überdrehen
+ Türöffnungsbegrenzer zum Schutz vor Überdehnung der Tür und vor Überschneidung mit Nutzfläche des Nachbarschrankes
+ Türen extrem verwindungssteif durch geschlossene Seitenprofile
+ Korpus mit Lüftungsöffnungen oben und unten für optimale Luftzirkulation
+ Praktische Erweiterung des Stauraumes auf gleicher Grundfläche
+ Langlebiger Stahlkorpus mit Inneneckschräge je Fach zur leichten Entnahme des Schrankinhaltes (auch als Kabelkanal nutzbar)



Opening dimensions door (height): 433
Body ventilation: Perforated strip in the wardrobe base/head unit
Body surface: varnished
Depth: 500
Key type: Beard key
for bolt size: 6-8
Door opening angle: 90
Door material: Steel
Front fitting: inside
Closing circuit: up to 1000
Mounting front: bolt hinge
delivery condition: mounted
Height: 500
Number of keys: 2
front stop type: folding in
front stop: DIN right
for padlocks: Yes
front stop 2: Hinged on the right
Door surface: varnished
Front version: Hinged doors
Inner depth: 477
door opening limiter: Yes
Total internal height: 471
Suitability for wall installation: Yes

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

Datasheet "049090-10|S10006"

C+P Top cabinet, series Evolo PLUS, 1 compartment

Body material: Steel

€244.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.

DMSZ zertifiziert nach ISO 9001 QM 00945

DMSZ zertifiziert nach ISO 50001 EnM 00945

DMSZ zertifiziert nach ISO 14001 UM 00945

DMSZ zertifiziert nach ISO 9001 QM 00945

TÜV Thüringen GS geprüfte Sicherheit

Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

Hessisches Präqualifikationsregister Zertifikat HPQR Auftragsberatungsstelle Hessen e.V.

SILVER | Top 15% ecovadis Sustainability Rating FEB 2024

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

„German Quality" from the market leader