Datasheet "0493407-10|S10327"

C+P 2 tier locker Evolo PLUS, 2 cases, 2120x300x815mm

2 tier locker Evolo PLUS, 1 compartment with 2 cases, compartment width 300 mm, body made of sturdy steel construction with high-quality enamel coating for high UV and corrosion resistance, with rear louvers at the top and bottom, inside each case 1 sturdy room rail made of oval profile with 3 anti-rotation double sliding hooks incl. system mounting, with base frame System holder, with underframe and floating seats (only possible with wall mount or back-to-back and row mounting), frames made of sturdy square steel tube 30 x 30 mm, with adjustable floor gliders for easy level adjustment, retractable seats for unobstructed flow of traffic in confined spaces, on load capacity slide rail system, convenient and safe to operate thanks to front rail, door opening limiter 90 degrees, as protection against overstretching the door, door(s) hinged on the right, steel doors with soft stop and closed side profiles for maximum stability, with easy-to-clean ventilation hole pattern at the top and bottom, mounting in sturdy bolt hinges, 2 cylinder locks with 2 keys, locking circuit up to 1000 different key numbers, seat bars made of hardwood beech, profile approx. 60 x 25 mm, rounded edges for good seating comfort, coated with clear varnish with natural color differences, 2 plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, dimensions (H x W x D): 2120 x 300 x 815 mm, Color: RAL 7035 light gray, Doors: RAL 1004 golden yellow, Frame: RAL 7021 black gray

Product advantages:

+ 50% space saving due to double-tier design compared to the single-tier model
+ Body with ventilation openings at the top and bottom for optimum air circulation
+ Doors extremely torsion resistant due to closed side profiles
+ Fronts additionally with easy-to-clean ventilation hole pattern for even more effective ventilation
+ Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
+ Level adjustment for easy compensation of uneven floors
+ Underframes with "free-floating" seats for more leg room and easy floor cleaning (only possible with wall mount or "back-to-back" plus row bolting)
+ Seat bars made of hardwood beech, planed and varnished on all sides, rounded edges for good seating comfort
+ Retractable seat for unobstructed traffic routes in confined spaces
+ Particularly burglar-resistant construction in accordance with level C of DIN 4547



Front color: RAL 1004 Golden yellow
Depth: 815
Door opening angle: 90
lock: cylinder lock
Substructure: frame
Body color: RAL 7035 light gray
Height: 2120
Width: 300
Number of compartments: 1
Inner depth: 477
Total internal height: 1637
Opening dimensions door (height): 779
Inner width other: 298
Opening dimensions door (width): 240
Weight:
Guarantee: 10

€682.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

Das Farbkonzept

Mit dem neuen Farbkonzept präsentieren wir nicht nur aktuelle und attraktive Farbtöne für jedes Umfeld, sondern haben auch das Farbaufpreis-System extrem vereinfacht. Sehr oft werden Sie es ohnehin nicht brauchen, denn ab sofort bieten wir Ihnen 144 Farben und Farbkombinationen ohne Mehr- preis.

Schließsysteme

Eines für alles? Das war einmal. So vielfältig wie die heutigen Anwendungen sind die Schließsystem-Lösungen von C+P. Gerne beraten wir Sie objektbezogen über Ihre Möglichkeiten.

Zubehör

Sie möchten ein Maximum an Praxis- kompatibilität aus Ihrem Spind oder Stahlschrank herausholen? Bei C + P erwartet Sie ein abwechslungsreiches Sortiment an unterschiedlichsten Zu- satzausstattungen.

Vertrauen ist gut, ...

Kontrolle ist besser. Zumindest, wenn es um das Thema Qualitätssicherung geht. Genau deshalb unterliegen sowohl unsere Fertigungsprozesse, als auch die C+P Produkte selbst einem äußerst anspruchsvollen Qualitätsmanagement, das im Wesentlichen auf zwei Säulen beruht: unserem werkseigenen Prüflabor auf der einen und selbstverständlich auch regelmä- ßigen externen Überprüfungen und Kontrollen auf der anderen Seite.

DMSZ zertifiziert nach ISO 9001 QM 00945

DMSZ zertifiziert nach ISO 50001 EnM 00945

DMSZ zertifiziert nach ISO 14001 UM 00945

DMSZ zertifiziert nach ISO 9001 QM 00945

TÜV Thüringen GS geprüfte Sicherheit

Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

Hessisches Präqualifikationsregister Zertifikat HPQR Auftragsberatungsstelle Hessen e.V.

SILVER | Top 15% ecovadis Sustainability Rating FEB 2024

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

„German Quality" from the market leader