



C+P Evolo PLUS z Lockers, bench, 2 cases, 2120x300x815mm

Z Locker Evolo PLUS, for 2 people, 1 compartment divided in a Z-shape, compartment width 300 mm, body made of sturdy steel structure with high-quality enamel coating for high UV and corrosion resistance, particularly burglar-proof construction in accordance with level C as per DIN 4547, with rear louvers at the top and bottom, convenient hanging room for long items of clothing inside despite limited space, 1 sturdy oval profile changing room rail per case with 3 torsion-proof double sliding hooks incl. system holder, with underframe and floating seat (only possible with wall screw or back-to-back screw fastening). System holder, with underframe and floating seats (only possible with wall mount or back-to-back and row mounting), frames made of sturdy square steel tube 30 x 30 mm, with adjustable floor gliders for easy level adjustment, 1 seats made of phenolic HPL 13 mm (solid core), door opening limiter 90 degrees, as protection against overstretching the door, HPL decor doors (solid core), with soft stop, door mounted on bolt hinges, 2 ergonomic safety turning bolt for padlocks with bolt size 6 to 8 mm, incl. door protection, 2 plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, dimensions (H x W x D): 2120 x 300 x 815 mm, Color: RAL 7016 anthracite gray, Solid-core - doors: decor oak sereno, Frame: RAL 7021 black gray, Decor seat HPL: decor oak sereno

Product advantages:

- + Z-shaped layout for hanging long items of clothing with reduced space requirements in the room
- + Body with ventilation openings at the top and bottom for optimum air circulation
- + Decor doors made of solid-core material (phenolic HPL) for heavy-duty use and a sophisticated look
- + Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
- + Level adjustment for easy compensation of uneven floors
- + Safety turning bolt latch for padlock, ergonomically shaped, turns when closed and thus prevents breaking open by over-turning
- + Underframes with "free-floating" seats for more leg room and easy floor cleaning (only possible with wall mount or "back-to-back" plus row bolting)
- + Seat surface made of solid-core material (phenolic HPL) for best hygiene/cleaning and elegant look thanks to anthracite-colored edge
- + Particularly burglar-resistant construction in accordance with level C of DIN 4547



Front color: Sereno oak decor
Depth: 815
lock: Safety turning bolt
Opening dimensions door (height): 1142
Door opening angle: 90
Substructure: frame
Height: 2120
Width: 300
Number of compartments: 1
Body color: RAL 7016 anthracite gray
Inner depth: 477
Opening dimensions door (width): 107
Weight:
Guarantee: 10
Inner width other:

€888.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
GmbH & Co. KG
Boxbachstraße 1
35236 Breidenbach
USt.-ID: DE 183061659

Contact:
Telephone: +49 6465 919-0
Fax: +49 6465 919-200
Email: sales@cp.de

[Terms and Conditions](#) / [Legal Notice](#) / [Privacy Policy](#)



Mit dem neuen Farbkonzept präsentieren wir nicht nur aktuelle und attraktive Farbtöne für jedes Umfeld, sondern haben auch das Farbaufpreis-System extrem vereinfacht. Sehr oft werden Sie es ohnehin nicht brauchen, denn ab sofort bieten wir Ihnen 144 Farben und Farbkombinationen ohne Mehrpreis.

Eines für alles? Das war einmal. So vielfältig wie die heutigen Anwendungen sind die Schließsystem-Lösungen von C+P. Gerne beraten wir Sie objektbezogen über Ihre Möglichkeiten.

Sie möchten ein Maximum an Praxiskompatibilität aus Ihrem Spind oder Stahlschrank herausholen? Bei C + P erwartet Sie ein abwechslungsreiches Sortiment an unterschiedlichsten Zusatzausstattungen.

Kontrolle ist besser. Zumindest, wenn es um das Thema Qualitätssicherung geht. Genau deshalb unterliegen sowohl unsere Fertigungsprozesse, als auch die C+P Produkte selbst einem äußerst anspruchsvollen Qualitätsmanagement, das im Wesentlichen auf zwei Säulen beruht: unserem werkseigenen Prüflabor auf der einen und selbstverständlich auch regelmäßigen externen Überprüfungen und Kontrollen auf der anderen Seite.

