



C+P tool cabinet with wardrobe I changing rooms Acurado, 1950x930x400mm, 7035/5010

Tool cabinet with wardrobe I changing rooms Acurado, body made of sturdy steel construction with high-quality enamel coating for high UV resistance, with floor gliders as practical cabinet and floor protection, high flexibility of interior fitting thanks to height adjustability in 15 mm increments, with vertical partition, coat rack section on the left, filing section on the right, doors with closed side profiles and concealed locking rods for maximum stability and burglar-proof design, with soft stop, door mounted on bolt hinges at the top and bottom with an opening angle of approx. 125 degrees, 1 Ergo-Lock grip lock for optimum operation safety and wear resistance, 3-bolt cylinder locks, with cylinder lock and 2 keys, dimensions (H x W x D): 1950 x 930 x 400 mm, Color: RAL 7035 light gray, Doors: RAL 5010 gentian blue

Product advantages:

- + Doors hinged together for a common lock
- + High load capacity of the shelves of 70 kg for flexible use
- + High flexibility of interior fitting due to adjustability in 15 mm increments
- + 3-bolt "Ergo-Lock" grip locks with 2 keys and patented mechanism: simply press to close



Door opening angle: 110

Body surface: varnished

partition: center

Key type: Beard key

Door material: Steel

lock: cylinder lock

Mounting front: bolt hinge

Load capacity shelves: 70

Number of keys: 2

Height: 1950

Interior fitting color: RAL 7035 light gray

GS tested safety:

GS_TUV_Thuringen

front stop type: folding in

series: Acurado 89

Guarantee: 10 years

Front version: Hinged doors

handle: Ergo-Lock recessed grip

Width: 930

Height-adjustable base: Yes

Floor height adjustment grid: 15

delivery condition: by truck

Shelves material: Steel

key number: 3-bar

Surface of shelves: zinc-plated

Datasheet "08920-312|S10003"



C+P tool cabinet with wardrobe I
changing rooms Acurado,
1950x930x400mm, 7035/5010

Body material: Steel

€673.00*

*List price excl. VAT plus shipping costs

C + P Möbelsysteme
GmbH & Co. KG
Boxbachstraße 1
35236 Breidenbach
USt.-ID: DE 183061659

Contact:
Telephone: +49 6465 919-0
Fax: +49 6465 919-200
Email: sales@cp.de

[Terms and Conditions](#) / [Legal Notice](#) / [Privacy Policy](#)





Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

