Datasheet "049002-40P|S10061"

C+P PPE locker to separate work- and streetwear Evolo PLUS, 4 compartments, 1850x1200x500mm

PPE Lockers to separate work- and streetwear Evolo PLUS, 4 compartments for 2 people, for separate storage of private and work clothing, compartment width 300 mm, body made of sturdy steel structure with high-quality enamel coating for high UV and corrosion resistance, particularly burglar-proof construction in accordance with level C to DIN 4547, with rear ventilation openings at the top and bottom, inside each double compartment 1 continuous storage shelf for extra-large PPE case, underneath each compartment 1 sturdy changing room rail made of oval profile with 3 twist-proof double sliding hooks incl. system holder. system holder, doors closing in the middle for common lock, with floor gliders for practical cabinet and floor protection, door opening limiter 90 degrees, as protection against overstretching the door, HPL decor doors (solid core), with soft stop, door mounted on bolt hinges, 2 ergonomic safety turning bolt for padlocks with bolt size 6 to 8 mm, incl. door protection, 4 plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, dimensions (H x W x D): 1850 x 1200 x 500 mm, Color: RAL 7035 light gray, Solid-core - doors: decor birch gray

Product advantages:

+ Safe and convenient separation of private and work clothing in accordance with ASR (workplace guidelines)
+ Body with ventilation openings at the top and bottom for optimum air circulation
+ Doors hinged together for a common lock
+ Decor doors made of solid-core material (phenolic HPL) for heavy-duty use and a sophisticated look
+ Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
+ Increased corrosion protection thanks to zinc-plated locker base and additional floor gliders
+ Level adjustment for easy compensation of uneven floors
+ Full-length storage shelves per double compartment for extra-large PPE case
+ Safety turning bolt latch for padlock, ergonomically shaped, turns when closed and thus prevents breaking open by over-turning
+ Particularly burglar-resistant construction in accordance with level C of DIN 4547



compartment width: 300

Substructure: Floor glider

Body ventilation: Perforated strip in the wardrobe base/head unit

Adjustment travel level adjustment: 25

Body surface: varnished

Depth: 500

lock: Safety turning bolt

for bolt size: 6-8

Door opening angle: 90

Country of origin: EN

Profile changing room rails: oval

Labeling material: Made of plastic

Total internal height: 1787

Mounting front: bolt hinge

Attachment Labeling: self-adhesive

Body color: RAL 7035 light gray

delivery condition: mounted

Number of compartments: 4

Checkroom height: 1325

GS tested safety: GS_TUV_Thueringen

Height: 1850

key number: Bolt

Shipping method: by truck

Door material:

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

Datasheet "049002-40P|S10061"

C+P PPE locker to separate work- and streetwear Evolo PLUS, 4 compartments, 1850x1200x500mm

Material clothes hooks: Made of plastic

Internal height of top compartment: 365

Guarantee: 10 years

Door surface: Made of plastic decor (melamine resin)

Front version: Hinged doors

labeling: label holder

Inner depth: 477

Material changing room rails: Made of plastic

Tipping dimension: 1916

Number of storage shelves: 2

front stop 2: interlocking

door opening limiter: Yes

Internal height of lower compartments: 1420

storage shelf: fixed

Safety when setting off: Level C according to DIN 4547

Number of clothes hooks/person: 6

Brand: Evolo PLUS

Opening dimensions door (height): 1749

Width: 1200

Suitability for wall installation: Yes

series: Evolo PLUS

Inner width other: 298

Opening dimensions door (width): 240

Customs TariffNo_DE: 94031091

Front color:

Weight:

€1,211.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

Das Farbkonzept

Mit dem neuen Farbkonzept präsentieren wir nicht nur aktuelle und attraktive Farbtöne für jedes Umfeld, sondern haben auch das Farbaufpreis-System extrem vereinfacht. Sehr oft werden Sie es ohnehin nicht brauchen, denn ab sofort bieten wir Ihnen 144 Farben und Farbkombinationen ohne Mehr- preis.

Schließsysteme

Eines für alles? Das war einmal. So vielfältig wie die heutigen Anwendungen sind die Schließsystem-Lösungen von C+P. Gerne beraten wir Sie objektbezogen über Ihre Möglichkeiten.

Zubehör

Sie möchten ein Maximum an Praxis- kompatibilität aus Ihrem Spind oder Stahlschrank herausholen? Bei C + P erwartet Sie ein abwechslungsreiches Sortiment an unterschiedlichsten Zu- satzausstattungen.

Vertrauen ist gut, ...

Kontrolle ist besser. Zumindest, wenn es um das Thema Qualitätssicherung geht. Genau deshalb unterliegen sowohl unsere Fertigungsprozesse, als auch die C+P Produkte selbst einem äußerst anspruchsvollen Qualitätsmanagement, das im Wesentlichen auf zwei Säulen beruht: unserem werkseigenen Prüflabor auf der einen und selbstverständlich auch regelmä- ßigen externen Überprüfungen und Kontrollen auf der anderen Seite.

DMSZ zertifiziert nach ISO 9001 QM 00945

DMSZ zertifiziert nach ISO 50001 EnM 00945

DMSZ zertifiziert nach ISO 14001 UM 00945

DMSZ zertifiziert nach ISO 9001 QM 00945

TÜV Thüringen GS geprüfte Sicherheit

Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

Hessisches Präqualifikationsregister Zertifikat HPQR Auftragsberatungsstelle Hessen e.V.

SILVER | Top 15% ecovadis Sustainability Rating FEB 2024

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

„German Quality" from the market leader