



C+P Schließfachschrank mit Füßen, Evolu PLUS, 3 Fach, 1950x300x500mm, 7035/5010

Schließfachschrank Evolu PLUS, 1 Abteil mit 3 Fächern, Abteillbreite 300 mm, Korpus aus stabiler Stahlkonstruktion mit hochwertiger Einbrennbeschichtung für hohe UV- und Korrosionsbeständigkeit, Spindboden verzinkt für erhöhten Korrosionsschutz, besonders aufbruchgeschützte Konstruktion gemäß Stufe C nach DIN 4547, liches Durchlassmaß pro Fach: H 561 x B 240 mm, Türöffnungsbegrenzer 90 Grad, als Schutz vor Überdehnen der Tür, Tür(en) rechts angeschlagen, Entfall Etikettenrahmen, Stahl-Türen mit Soft-Anschlag und geschlossenen Seitenprofilen für höchste Stabilität, Aufhängung in stabilen Drehbolzen, 3 Zylinderschlösser mit 2 Schlüsseln, Schließkreis bis 1000 verschiedene Schließungen, 100 mm hohe Füße aus Kunststoff für erweiterten Korrosionsschutz, mit integrierter Niveauregulierung und Schutzhülsen zur stilvollen Abdeckung der Verstellerschrauben, bequem von innen und außen verstellbar, Maße (H x B x T): 1950 x 300 x 500 mm, Korpus: RAL 7035 Lichtgrau, Türen: RAL 5010 Enzianblau, Füße: RAL 7035 Lichtgrau

Produktvorteile:

- + Praktische Fächerschranke zum Wegschließen persönlicher Dinge, für mehr Ordnung und Sicherheit
- + Türen extrem verwindungssteif durch geschlossene Seitenprofile
- + Türöffnungsbegrenzer zum Schutz vor Überdehnung der Tür und vor Überschneidung mit Nutzfläche des Nachbarschranks
- + Erhöhter Korrosionsschutz durch verzinkten Spindboden und stabile Kunststoff-Füße
- + Niveauregulierung zum einfachen Ausgleich von Bodenunebenheiten
- + Besonders aufbruchgeschützte Konstruktion gemäß Stufe C nach DIN 4547



Tipping dimension: 2013

compartment width: 300

Fachanordnung:

**Adjustment travel level
adjustment:** 25

Body surface: varnished

Depth: 500

Substructure material: Made of plastic

Substructure: Feet

Door opening angle: 90

Country of origin: EN

Door material: Steel

lock: cylinder lock

Mounting front: bolt hinge

Front color: RAL 7035 light gray

Body color: RAL 7035 light gray

delivery condition: mounted

Number of keys: 2

Height: 1950

Substructure height: 100

GS tested safety:
GS_TUV_Thuringen

Width: 300

key number: Bolt

Shipping method: by truck

front stop 2: Hinged on the right



C+P Schließfachschrank mit Füßen, Evolu PLUS, 3 Fach, 1950x300x500mm, 7035/5010

Door surface: varnished
Number of compartments: 1
Guarantee: 10 years
Front version: Hinged doors
Front color: RAL 5010 gentian blue
Inner depth: 477
door opening limiter: Yes
Innenhöhe Gefach mitte:
Safety when setting off: Level C
according to DIN 4547
**Internal height of lower
compartments:** 601
Brand: Evolo PLUS
**Internal height of top
compartment:** 599
Suitability for wall installation: Yes
series: Evolo PLUS
Opening dimensions door (width):
240
Opening dimensions door (height):
561
Weight:
Customs TariffNo_DE: 94031091
Number of cases: 3

€455.00*

*List price excl. VAT plus shipping costs

The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.



Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

