



C+P Evolo PLUS lockers & wardrobes, bench, 2 compartments, 2120x800x815mm

Locker Evolo PLUS, 2 compartments, compartment width 400 mm, body made of sturdy steel construction with high-quality enamel coating for high UV and corrosion resistance, particularly burglar-proof construction in accordance with level C to DIN 4547, with rear ventilation openings at the top and bottom, 1 storage shelf inside, 1 sturdy room changing room rail made of oval profile underneath with 3 anti-rotation double sliding hooks incl. system holder, with base frame and floating seat (only possible with wall bolting or back-to-back bolting). System holder, with underframe and floating seats (only possible with wall mount or back-to-back and row mounting), frames made of sturdy square steel tube 30 x 30 mm, with adjustable floor gliders for easy level adjustment, 1 seats made of phenolic HPL 13 mm (solid core), door opening limiter 90 degrees, as protection against overstretching the door, door(s) hinged on the right, HPL decor doors (solid core), with soft stop, door mounted on bolt hinges, 2 ergonomic safety turning bolt for padlocks with bolt size 6 to 8 mm, incl. door protection, 2 plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, dimensions (H x W x D): 2120 x 800 x 815 mm, Color: RAL 7035 light gray, Solid-core - doors: decor concrete skyline, Frame: RAL 7021 black gray, Decor seat HPL: decor concrete skyline

Product advantages:

- + Body with ventilation openings at the top and bottom for optimum air circulation
- + Decor doors made of solid-core material (phenolic HPL) for heavy-duty use and a sophisticated look
- + Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
- + Level adjustment for easy compensation of uneven floors
- + Safety turning bolt latch for padlock, ergonomically shaped, turns when closed and thus prevents breaking open by over-turning
- + Underframes with "free-floating" seats for more leg room and easy floor cleaning (only possible with wall mount or "back-to-back" plus row bolting)
- + Seat surface made of solid-core material (phenolic HPL) for best hygiene/cleaning and elegant look thanks to anthracite-colored edge
- + Particularly burglar-resistant construction in accordance with level C of DIN 4547



Weight:

Front color:

Depth: 815

lock: Safety turning bolt

Width: 800

Opening dimensions door (height):
1599

Door opening angle: 90

Substructure: frame

Body color: RAL 7035 light gray

Number of compartments: 2

Height: 2120

Inner depth: 477

Opening dimensions door (width):
340

Inner width other: 398

Guarantee: 10

€1,102.00*


*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
GmbH & Co. KG
Boxbachstraße 1
35236 Breidenbach
USt.-ID: DE 183061659

Contact:
Telephone: +49 6465 919-0
Fax: +49 6465 919-200
Email: sales@cp.de

[Terms and Conditions](#) / [Legal Notice](#) / [Privacy Policy](#)





Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

