Datasheet "045000-103|S10040"

C+P assembled box locker, Cambio

Assembled box locker Cambio, 1 compartment with 3 cases, compartment width 300 mm, Body made of durable steel structure, electrolytic zinc-plated and featuring a high-quality enamel coating for maximum UV and corrosion resistance; closed side profiles with interior bevels of approximately 54 degrees for high stability as well as easy interior cleaning and convenient removal of clothing and bags; The rear panel includes generous louvers at the top and bottom, along with wall spacers for optimal air circulation, with floor gliders for cabinet and floor protection, 90-degree door opening limiter, to prevent the door from overextending, door(s) hinged on the right, 1 solid-color front, 3 cylinder lock with 2 keys, lock key numbers up to 1,000 different key numbers, dimensions (H x W x D): 1850 x 300 x 525 mm, Color: RAL 7016 anthracite gray, Doors: RAL 7016 anthracite gray



compartment width: 300
Substructure: Floor glider
Front color: RAL 7016 anthracite gray
Fachanordnung:
Adjustment travel level adjustment: 25
series: Cambio
Body surface: varnished
Door opening angle: 90
Door material: Steel
lock: cylinder lock
delivery condition: mounted
Number of keys: 2
Height: 1850
Width: 300
Shipping method: by truck
front stop 2: Hinged on the right
Door surface: varnished
Number of compartments: 1
Guarantee: 10 years
Body color: RAL 7016 anthracite gray
Inner depth: 477
Country of origin: PL
door opening limiter: Yes
Internal height of lower compartments:

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

Datasheet "045000-103|S10040"

C+P assembled box locker, Cambio

Brand:

Front version:

Internal height of top compartment:

Tipping dimension: 1923

Number of doors: 3

Mounting front: Hinges

Depth: 525

key number: Hook bolt

Opening dimensions door (height):

Customs TariffNo_DE: 94031091

Opening dimensions door (width):

wet room design: Yes

Number of cases: 3

Innenhöhe Gefach mitte:

€529.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

Terms and Conditions / Legal Notice / Privacy Policy

„German Quality"
from the market leader

The color concept

With our new color concept, we are not only presenting current and attractive colors for every environment, but have also greatly simplified the color surcharge system. You won't need it very often anyway, because we now offer 144 colors and color combinations at no extra charge.

Locking systems

One for everything? That was once the case. Today's locking system solutions from C+P are as diverse as the applications for which they are designed. We would be happy to advise you on the options available for your specific project.

Accessories

Want to get the most out of your locker or steel cabinet for your practice? C + P offers a wide range of additional equipment.

Trust is good, but ...

control is better. At least when it comes to quality assurance. That is precisely why both our manufacturing processes and the C+P products themselves are subject to extremely demanding quality management, which is essentially based on two column bases: our in-house test laboratory on the one hand and, of course, regular external inspections and controls on the other.

DMSZ zertifiziert nach ISO 9001 QM 00945

DMSZ zertifiziert nach ISO 50001 EnM 00945

DMSZ zertifiziert nach ISO 14001 UM 00945

DMSZ zertifiziert nach ISO 9001 QM 00945

TÜV Thüringen GS geprüfte Sicherheit

Many of our products are GS-tested by TÜV Thüringen. We will be happy to send you copies of the relevant certificates on request.

Hessisches Präqualifikationsregister Zertifikat HPQR Auftragsberatungsstelle Hessen e.V.

SILVER | Top 15% ecovadis Sustainability Rating FEB 2024

C + P GmbH & Co. KG
Niederlassung Breidenbach
Boxbachstraße 1
35236 Breidenbach
VAT ID: DE150325774

Contact:
Telephone: +49 6465 919-0
Email: sales@cp.de

„German Quality" from the market leader