



C+P Evolo PLUS lockers & wardrobes, bench, 1 compartment, 2120x300x815mm

Locker Evolo PLUS, 1 compartment, compartment width 300 mm, sturdy steel structure with high-quality enamel coating for high UV and corrosion resistance, particularly break-open protected construction in accordance with level C as per DIN 4547, with rear storage shelves at the top and bottom, 1 storage shelf inside, 1 center partition underneath as well as sturdy room rail made of oval profile on the left and right with 2 double sliding hooks each incl. system mount. System holder, with underframe and floating seats (only possible with wall mount or back-to-back and row mounting), frames made of sturdy square steel tube 30 x 30 mm, with adjustable floor gliders for easy level adjustment, retractable seats for unobstructed flow of traffic in confined spaces, on load capacity slide rail system, convenient and safe to operate thanks to front rail, door opening limiter 90 degrees, as protection against overstretching the door, door(s) hinged on the right, steel door(s) with soft stop and closed side profiles for maximum stability, with easy-to-clean ventilation hole pattern at the top and bottom, mounting in sturdy bolt hinges, 1 cylinder lock with 2 keys, locking circuit up to 1000 different key numbers, 1 plastic label holder, black, self-adhesive, incl. transparent plastic cover and white label for individual labeling, seat bars made of hardwood beech, profile approx. 60 x 25 mm, rounded edges for good seating comfort, coated with clear varnish with natural color differences, dimensions (H x W x D): 2120 x 300 x 815 mm, Color: RAL 7035 light gray, Doors: RAL 3000 fire red, Frame: RAL 7021 black gray

Product advantages:

- + Compact separation of private and work clothes as a space-saving solution
- + Body with ventilation openings at the top and bottom for optimum air circulation
- + Doors extremely torsion resistant due to closed side profiles
- + Fronts additionally with easy-to-clean ventilation hole pattern for even more effective ventilation
- + Door opening limiter to protect the door from overstretching and from overlapping with the usable space of the neighboring cabinet
- + Level adjustment for easy compensation of uneven floors
- + Underframes with "free-floating" seats for more leg room and easy floor cleaning (only possible with wall mount or "back-to-back" plus row bolting)
- + Seat bars made of hardwood beech, planed and varnished on all sides, rounded edges for good seating comfort
- + Retractable seat for unobstructed traffic routes in confined spaces
- + Particularly burglar-resistant construction in accordance with level C of DIN 4547



Front color: RAL 3000 fire red
Depth: 815
Opening dimensions door (height): 1599
Door opening angle: 90
lock: cylinder lock
Substructure: frame
Body color: RAL 7035 light gray
Weight:
Height: 2120
Width: 300
Number of compartments: 1
Inner depth: 477
Total internal height: 1637
Inner width other:
Opening dimensions door (width): 240
Guarantee: 10

€661.00*

*List price excl. VAT plus shipping costs

C + P GmbH & Co. KG
GmbH & Co. KG
Boxbachstraße 1
35236 Breidenbach
USt.-ID: DE 183061659

Contact:
Telephone: +49 6465 919-0
Fax: +49 6465 919-200
Email: sales@cp.de

[Terms and Conditions](#) / [Legal Notice](#) / [Privacy Policy](#)



Mit dem neuen Farbkonzept präsentieren wir nicht nur aktuelle und attraktive Farbtöne für jedes Umfeld, sondern haben auch das Farbaufpreis-System extrem vereinfacht. Sehr oft werden Sie es ohnehin nicht brauchen, denn ab sofort bieten wir Ihnen 144 Farben und Farbkombinationen ohne Mehrpreis.

Eines für alles? Das war einmal. So vielfältig wie die heutigen Anwendungen sind die Schließsystem-Lösungen von C+P. Gerne beraten wir Sie objektbezogen über Ihre Möglichkeiten.

Sie möchten ein Maximum an Praxiskompatibilität aus Ihrem Spind oder Stahlschrank herausholen? Bei C + P erwartet Sie ein abwechslungsreiches Sortiment an unterschiedlichsten Zusatzausstattungen.

Kontrolle ist besser. Zumindest, wenn es um das Thema Qualitätssicherung geht. Genau deshalb unterliegen sowohl unsere Fertigungsprozesse, als auch die C+P Produkte selbst einem äußerst anspruchsvollen Qualitätsmanagement, das im Wesentlichen auf zwei Säulen beruht: unserem werkseigenen Prüflabor auf der einen und selbstverständlich auch regelmäßigen externen Überprüfungen und Kontrollen auf der anderen Seite.

